THE LANCET Child & Adolescent Health

Supplementary appendix

This appendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Say D, Crawford N, McNab S, Wurzel D, Steer A, Tosif S. Post-acute COVID-19 outcomes in children with mild and asymptomatic disease. Lancet Child Adolesc Health 2021; published online April 20. http://dx.doi.org/10.1016/S2352-4642(21)00124-3.

Appendix 1 COVID-19 Follow-up Clinic Proforma

DEMOGRAPHICS

Name

Hospital UR number

Date of Birth

Visit Date

Months following COVID-19

TIMELINE

Last exposure to COVID-19 date + location

Onset of symptoms date

Resolution of symptoms date

Positive swab (s) date/results

Serology date/results

ACUTE SYMPTOMS (day 0-14)

Fever > 38

Sore throat

Cough

Runny nose

Shortness of breath

Loss of taste

Loss of smell

Poor appetite

Vomiting

Low energy or tiredness

Headaches

Muscle aches and pains

Abdominal pain

Diarrhoea

Other

POST-ACUTE SYMPTOMS (day 14 onwards)

Above symptoms plus following:

Shortness of breath

Fatigue

Rash

Fever

Abdominal pain

Conjunctivitis

Wellbeing

Immunisation Reaction

Other

MEDICAL MANAGEMENT

Readmission to hospital

Review by GP

Review for testing

Other

RISK FACTORS

Travel

Childcare/school confirmed contact

Confirmed household contact Unknown Other

HOUSEHOLD MEMBERS AND STATUS

Symptomatic/tested/date

HEALTH CARE WORKER IN HOUSEHOLD

Symptomatic/tested/date/location of work

CHILDCARE/SCHOOL NAME

IMMUNISATION STATUS:

Up to date Flu vaccine

PAST MEDICAL HISTORY

INVESTIGATIONS

Antibody results

PHYSICAL EXAMINATION

Weight/height/findings

ANY PARENTAL CONCERNS

Appendix 2. Patient and Clinical Characteristics of Overall Cohort

Patient and Clinical Characteristics	
n = 171	
Gender	n (%)
Male	90 (53%)
Female	81 (47%)
Age	
Mean	5 years
Median	3 years
Interquartile range	1-8 years
0–2 years	76 (44%)
3-5 years	37 (22%)
6-12 years	38 (22%)
13-18 years	20 (12%)
Comorbidities	
Total with comorbidities	24 (14%)
Congenital cardiac disease	3 (2%)
Malignancy	1 (1%)
Prematurity	2 (1%)
Immunocompromiseda	10 (6%)
Chronic respiratory condition	8 (5%)
Symptom duration	
Mean	7.1 days
Median	5 days
Interquartile range	2-9 days
Acute disease severity	
Asymptomatic	61 (36%)
Mild disease	100 (58%)
Moderate disease	9 (5%)
Severe disease	1 (1%)
Reason for hospital admission	
Total admitted	14 (8%)
Observation	7 (4%)
Fluid rehydration	3 (2%)
Unrelated admission ^b	3 (2%)
Intensive care requirement	1 (1%)

^aChronic medical condition or medication resulting in immunocompromise

^bIncidental diagnosis of COVID-19 during admission for an unrelated issue